

[RHSA-2019:1815-01] Moderate: java-1.8.0-openjdk securi...

Article URL

www.securityhome.eu/mailings/mailling.php?mid=15516

Author

SecurityHome.eu

Published: 22 July 2019

=====
Red Hat Security Advisory

Synopsis: Moderate: java-1.8.0-openjdk security update
Advisory ID: RHSA-2019:1815-01
Product: Red Hat Enterprise Linux
Advisory URL: <https://access.redhat.com/errata/RHSA-2019:1815>
Issue date: 2019-07-22
CVE Names: CVE-2019-2745 CVE-2019-2762 CVE-2019-2769
CVE-2019-2786 CVE-2019-2816 CVE-2019-2842

=====

1. Summary:

An update for java-1.8.0-openjdk is now available for Red Hat Enterprise Linux 7.

Red Hat Product Security has rated this update as having a security impact of Moderate. A Common Vulnerability Scoring System (CVSS) base score, which gives a detailed severity rating, is available for each vulnerability from the CVE link(s) in the References section.

2. Relevant releases/architectures:

Red Hat Enterprise Linux Client (v. 7) - x86_64
Red Hat Enterprise Linux Client Optional (v. 7) - noarch, x86_64
Red Hat Enterprise Linux ComputeNode (v. 7) - x86_64
Red Hat Enterprise Linux ComputeNode Optional (v. 7) - noarch, x86_64
Red Hat Enterprise Linux Server (v. 7) - ppc64, ppc64le, s390x, x86_64
Red Hat Enterprise Linux Server Optional (v. 7) - noarch, ppc64, ppc64le, s390x, x86_64
Red Hat Enterprise Linux Workstation (v. 7) - x86_64
Red Hat Enterprise Linux Workstation Optional (v. 7) - noarch, x86_64
Red Hat Enterprise Linux for ARM and IBM Power LE (POWER9) Server (v. 7) - aarch64, ppc64le, s390x
Red Hat Enterprise Linux for ARM and IBM Power LE (POWER9) Server Optional (v. 7) - aarch64, noarch,

ppc64le, s390x

3. Description:

The java-1.8.0-openjdk packages provide the OpenJDK 8 Java Runtime Environment and the OpenJDK 8 Java Software Development Kit.

Security Fix(es):

- * OpenJDK: Side-channel attack risks in Elliptic Curve (EC) cryptography (Security, 8208698) (CVE-2019-2745)
- * OpenJDK: Insufficient checks of suppressed exceptions in deserialization (Utilities, 8212328) (CVE-2019-2762)
- * OpenJDK: Unbounded memory allocation during deserialization in Collections (Utilities, 8213432) (CVE-2019-2769)
- * OpenJDK: Missing URL format validation (Networking, 8221518) (CVE-2019-2816)
- * OpenJDK: Missing array bounds check in crypto providers (JCE, 8223511) (CVE-2019-2842)
- * OpenJDK: Insufficient restriction of privileges in AccessController (Security, 8216381) (CVE-2019-2786)

For more details about the security issue(s), including the impact, a CVSS score, acknowledgments, and other related information, refer to the CVE page(s) listed in the References section.

4. Solution:

For details on how to apply this update, which includes the changes described in this advisory, refer to:

<https://access.redhat.com/articles/11258>

All running instances of OpenJDK Java must be restarted for this update to take effect.

5. Bugs fixed (<https://bugzilla.redhat.com/>):

- 1730056 - CVE-2019-2769 OpenJDK: Unbounded memory allocation during deserialization in Collections (Utilities, 8213432)
- 1730099 - CVE-2019-2816 OpenJDK: Missing URL format validation (Networking, 8221518)
- 1730110 - CVE-2019-2842 OpenJDK: Missing array bounds check in crypto providers (JCE, 8223511)
- 1730255 - CVE-2019-2786 OpenJDK: Insufficient restriction of privileges in AccessController (Security,

8216381)

1730411 - CVE-2019-2745 OpenJDK: Side-channel attack risks in Elliptic Curve (EC) cryptography (Security, 8208698)

1730415 - CVE-2019-2762 OpenJDK: Insufficient checks of suppressed exceptions in deserialization (Utilities, 8212328)

6. Package List:

Red Hat Enterprise Linux Client (v. 7):

Source:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.src.rpm

x86_64:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.x86_64.rpm

Red Hat Enterprise Linux Client Optional (v. 7):

noarch:

java-1.8.0-openjdk-javadoc-1.8.0.222.b10-0.el7_6.noarch.rpm

java-1.8.0-openjdk-javadoc-debug-1.8.0.222.b10-0.el7_6.noarch.rpm

java-1.8.0-openjdk-javadoc-zip-1.8.0.222.b10-0.el7_6.noarch.rpm

java-1.8.0-openjdk-javadoc-zip-debug-1.8.0.222.b10-0.el7_6.noarch.rpm

x86_64:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

Red Hat Enterprise Linux ComputeNode (v. 7):

Source:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.src.rpm

x86_64:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.x86_64.rpm

Red Hat Enterprise Linux ComputeNode Optional (v. 7):

noarch:

java-1.8.0-openjdk-javadoc-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-debug-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-zip-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-zip-debug-1.8.0.222.b10-0.el7_6.noarch.rpm

x86_64:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.i686.rpm

java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

Red Hat Enterprise Linux Server (v. 7):

Source:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.src.rpm

ppc64:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.ppc64.rpm

ppc64le:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.ppc64le.rpm

s390x:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.s390x.rpm

x86_64:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.x86_64.rpm

Red Hat Enterprise Linux for ARM and IBM Power LE (POWER9) Server (v. 7):

Source:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.src.rpm

aarch64:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.aarch64.rpm

ppc64le:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.ppc64le.rpm

java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.ppc64le.rpm

s390x:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.s390x.rpm

Red Hat Enterprise Linux Server Optional (v. 7):

noarch:

java-1.8.0-openjdk-javadoc-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-debug-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-zip-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-zip-debug-1.8.0.222.b10-0.el7_6.noarch.rpm

ppc64:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.ppc64.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.ppc64.rpm

ppc64le:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm

s390x:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.s390x.rpm

x86_64:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

Red Hat Enterprise Linux for ARM and IBM Power LE (POWER9) Server Optional (v. 7):

aarch64:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.aarch64.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.aarch64.rpm

noarch:

java-1.8.0-openjdk-javadoc-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-debug-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-zip-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-zip-debug-1.8.0.222.b10-0.el7_6.noarch.rpm

ppc64le:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.ppc64le.rpm

java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.ppc64le.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.ppc64le.rpm

s390x:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.s390x.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.s390x.rpm

Red Hat Enterprise Linux Workstation (v. 7):

Source:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.src.rpm

x86_64:

java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-devel-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-headless-1.8.0.222.b10-0.el7_6.x86_64.rpm

Red Hat Enterprise Linux Workstation Optional (v. 7):

noarch:

java-1.8.0-openjdk-javadoc-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-debug-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-zip-1.8.0.222.b10-0.el7_6.noarch.rpm
java-1.8.0-openjdk-javadoc-zip-debug-1.8.0.222.b10-0.el7_6.noarch.rpm

x86_64:

java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-accessibility-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-accessibility-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-debuginfo-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-demo-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-demo-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-devel-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-headless-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-src-1.8.0.222.b10-0.el7_6.x86_64.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.i686.rpm
java-1.8.0-openjdk-src-debug-1.8.0.222.b10-0.el7_6.x86_64.rpm

These packages are GPG signed by Red Hat for security. Our key and details on how to verify the signature are available from <https://access.redhat.com/security/team/key/>

7. References:

<https://access.redhat.com/security/cve/CVE-2019-2745>
<https://access.redhat.com/security/cve/CVE-2019-2762>
<https://access.redhat.com/security/cve/CVE-2019-2769>
<https://access.redhat.com/security/cve/CVE-2019-2786>
<https://access.redhat.com/security/cve/CVE-2019-2816>
<https://access.redhat.com/security/cve/CVE-2019-2842>
<https://access.redhat.com/security/updates/classification/#moderate>

8. Contact:

The Red Hat security contact is <secalert@redhat.com>. More contact details at <https://access.redhat.com/security/team/contact/>

Copyright 2019 Red Hat, Inc.